



ALNaierh
النيرة

شركة النيرة المحدودة
ALNaierh Company Limited

لمزيد من المعلومات
+966 56 782 9212



الفهرس

عن النيره

أقسامنا الرئيسية


قيمنا

الشاشات الدعائية

البرامج والطلول

الطلول الذكية

الاتصال بنا



عن النيره

نحن شركة سعودية نقدم لكم حلول متكاملة في تصميم ودمج أنظمة الوسائط المتعددة والمرافق التقنية المتقدمة لتلبية جميع احتياجات العملاء في القطاع الحكومي والقطاع الخاص من خلال توفير مجموعة كاملة من أقسامنا الرئيسية (قسم الأنظمة الإلكترونية والبنية التحتية للاتصالات - قسم توريد وبيع الشاشات الذكية - قسم أنظمة الشاشات الإعلانية والإرشادية - قسم البرامج والحلول - قسم الصيانة والدعم الفني) التي تمتد من مفهوم المشروع والتخطيط إلى التنفيذ والتدريب والدعم التشغيلي.




رؤيتنا

العمل على إعادة تشكيل خدمات العالم الرقمي في قلبه
الابتكار حتى نجعل هذا المسار واحد يمتد اليينا فقط .

رسالتنا

سوف نضع بصمتنا ونيرة عقولنا لتحقيق رؤية المملكة لسد
احتياجات كل متطلبات عصرنا في الاستثمارات ودعم التنمية وتطوير
العالم الرقمي لتكون فريدة في فكرتها , ابتكارية في أدائها .





أقسامنا الرئيسية

- قسم الانظمة الإلكترونية والبنية التحتية للاتصالات.
- قسم توريد وبيع الشاشات الذكية.
- قسم أنظمة الشاشات الإعلانية والإرشادية.
- قسم البرامج والطول.
- قسم الصيانة والدعم الفني.



قيمنا

تقديم الحلول المبتكرة والدعم المستمر للقطاعات
الحكومية والخاصة لانجاح رؤيتهم في متطلبات
عصرنا لتكون فريدة في فكرتها ابتكارية في أدائها



الشناشات الدعائية



شاشات الفيديو وول

Video wall screen



شاشات الفيديو وول Video wall screen



نقدم لكم أفضل شاشات الفيديو وول بالعالم Samsung - LG - BARCO
فواصل بين الشاشات متعدد من 0 غاب تقريباً وإلى 3.5 ملم غاب
دقة شاشات الفيديو وول لدينا تصل حتى K4
إمكانية طلب الشاشات باللمس

-
-
-
-

HD

100% new Samsung/ LG panel




Flexible brightness option



Interactive touch screen

LED

LED backlight



Ultra-narrow bezel



178°/178° Viewing angles

16:9

Aspect Ratio

24

100% Hours
(Working time)






قياسات وشدة إضاءة متعددة UNB LCD Video Walls



- LCD Panel: LG IPS (OFFICIAL MODEL NO. LD550DUN-THB8)
- Active Screen Diagonal: 55" 16:9
- Total Bezel Width: 1.8mm
- Resolution: 1920 x 1080
- Luminance(nits): 500cd/m²
- Active Display Area(WxH): 1209.6×680.4mm
- Panel Dimension(WxHxD): 1211.4×682.2 x 54.3mm



- LCD Panel: LG IPS (OFFICIAL MODEL NO. LD550DUN-TMA2)
- Active Screen Diagonal: 55" 16:9
- Total Bezel Width: 0.88mm
- Resolution: 1920 x 1080
- Luminance(nits): 500cd/m²
- Active Display Area(WxH): 1209.6×680.4mm
- Panel Dimension(WxHxD): 1210.51×681.22 x 54.3mm



- LCD Panel: SAMSUNG(OFFICIAL MODEL NO. DV550FHM-NV3)
- Active Screen Diagonal: 65" 16:9
- Total Bezel Width: 3.5mm
- Resolution: 3840 x 2160
- Luminance(nits): 700cd/m²
- Active Display Area(WxH): 1428.48 ×803.52mm
- Panel Dimension(WxHxD): 1432.58 ×807.62 x 54.3mm



Entice Customers at Retail Venues

- Great For:**
- Department Stores
 - Boutiques and Specialty Retail
 - Shopping Malls
 - Movie Theaters
 - Themed Restaurants and Clubs
 - Bank Branches and Investment Centers




Engage Viewers in Public Spaces

- Great For:**
- Stadiums and Arenas
 - Airport Gates
 - Building Entrances
 - High-Traffic Areas
 - Student Unions and Common Areas
 - College Promenades and Performing Arts Centers





Video Wall Mount Options

Regular Layout Example



Irregular Layout Example






أنظمة تحكم إلكترونية Video Wall Controller



Video Wall Controller diagram



Input	CVBS	Support PAL/NTSC format, multiple BNC ports
	VGA/RGBHV	Multi-channel VGA DB-15 port, support VGA full-format input
	HDMI/DVI/4K-DVI/DP	Support 4K(3840x2160) input, each IP decode 4 channels
	YPbPr/YCbCr(customizable) SDI(customizable)	The same connector of VGA/RGBHV signal, support PAL/NTSC format and 720p/1080i HDTV BNC Port
Output	VGA/RGBHV	Signal channel XGA(1024x768@60Hz)/DB-15 port
	HDMI/DVI	HDMI DVI output
	SDI(Customizable)	BNC port loop out
Control	Standard RS232 port	
	IR remote control (Customizable) / LAN control / IOS, Android APP control (optional)	
Working temperature	-20 C ~ 60 C	
Working humidity	5% ~ 95%	
AC supply voltage	AC100V - 240V 50Hz/60Hz	
Power consumption	The maximum consumption for each channel is 15W	

Typical Applications

Monitoring | Command And Scheduling Systems | Public Security | Railway | Military | Meteorological | Aviation





الشاشات الإعلانية

LCD Digital Signage



Wall Mount Series شاشات جدارية



2K - new Samsung/
LG panel



Android/Windows OS
optional



Various touch
technology optional



Horizontal screen/
vertical screen



Google store



1000-6000 nits



WiFi



Bluetooth

Ultra Thin Series شاشات طويلة

Size: 32 - 43 - 49 - 55 - 65



2K - new Samsung/
LG panel



Android/Windows OS
optional



1000-6000 nits



Various touch technology
optional



Ultra-thin body



Google store



Flexible modules optional



Weiss optional





Floor Stand Series شاشات طويلة ثابتة

Size: 98 - 21.5



- HD**
1000 new Samsung/ LG panel
- Android/Windows OS optional
- 1000-1600 nits
- Various touch technology optional
- OEM/ODM
Customizable
- Horizontal screen/ vertical screen
- Flexible modules optional
- Wheels optional




LCD Poster Series شاشات استناد

Size: 32 - 43 - 49 - 55 - 65



- HD**
1000 new Samsung/ LG panel
- Android/Windows OS optional
- 1000-1600 nits
- Various touch technology optional
- Google Store
Google store
- A/C power free
- Battery power supply optional
- Easy to carry





شاشات مزدوجة من الجهتين - Double-Sided Series

Size: 65 - 55 - 49 - 43



Full new Samsung/LG panel



Android/Windows OS optional



1500-4000 nits



Various touch technology optional

OEM/ODM

Customizable



Door open (easy maintenance)



Flexible modules optional



Wheels optional



شاشات الأماكن المفتوحة - Door Open Series

Size: 86 - 75 - 56 - 55 - 49 - 43



Full new Samsung/LG panel



Android/Windows OS optional



1500-4000 nits



Various touch technology optional

OEM/ODM

Customizable



Door open (easy maintenance)



Flexible modules optional



Single/Double side optional





Hanging Bracket شاشات معلقة Advertising Player

Windows - Android - Touch - WiFi

Double side screen model
Size: 43"
Single side screen model
Size: 18.5",21.5",32",43",49"



- | | |
|-------------------|----------------------------|
| 1.Hanging hole | 7.USB3.0 |
| 2.Power cable | 8.VGA |
| 3.Microphone jack | 9.HDMI |
| 4.Earphone jack | 10.Computer switch button |
| 5.USB3.0 | 11.Power I/O switch button |
| 6.RJ45 | |



- 1.Suitable for airports, stations, supermarkets, banks, shopping malls,hotels, transportation hubs and other places
- 2.Two sides are provided with a display screen, the audience can watch the content of the advertising machine from two directions, the user experience is good, the best publicity effect
- 3.To achieve product display, advertising, road guidance, traffic instructions and other

Indoor Windows شاشات داخلية معلقة Display Series

Size: 75 - 65 - 55 - 43



HD
New Samsung/
LG panel

Android/Windows OS
optional

LED
10000 nits

WiFi

OEM/ODM
Customizable

Ultra thin design

Flexible modules optional

Single/Double side
optional





الشاشات الأرفع بالعالم Ultra-Thin Transparent Double Side Screen Advertising Player

Size: 43", 49", 55"
Feature: dual mainboard ,one screen one picture.



Double-sided screen



High-definition image display
Selected top material



White,black,silver,pink, gold
or customized color
Ecole solid base




شاشات المرآة الذكية Mirror Screen Advertising Player



Mirror screen advertising player

Size: 18.5",21.5"


Feature: can be use as a normal mirror,
and when the guest is close to the screen,by infrared induction to the human body,
it will play ads at once





شاشات طولية بتصاميم خاصة

• Floor stand frame options



- 1, Appearance, structure and border color can be customized.
- 2, Multiple sizes can be chosen.(21.5",32",43",49",55",65",70",75",86",98")
- 3, More Brightness and modules optional, wheels optional , OEM/ODM welcome.
- 4, Andriod OS support Google store, HDMI input.
- 5, Windows: i3 i5 i7 various generations available.

يمكن طلب تصاميم خاصة للعملاء ضمن المميزات التالية:

- شاشات عرضية أو طولية أو متحركة بالجهتين
- إضافة طابعة أو قارئ بصمة أو قارئ باركود أو لوحة مفاتيح
- إضافة عجلات للشاشة
- إضافة لوغو الشركة بشكل مضيء أو سلك سكرين أو طابعة
- ألوان محددة
- 5G للإنترنت
- شبكات سلكية و لاسلكية



الشاشات التفاعلية والخدمة الذاتية

Enter Activities & Self Service Screen



Horizontal شاشات تفاعلية عرضية Touch screen Kiosk

Size: 65 - 55 - 43 - 21 - 18
Windows - Android - Touch - WiFi

Model 16 / 17
Size: 32", 43", 49", 55"
Color: black, white, customized



Model 64
Size: 21.5"
Color: black, blue, red, customized




شاشات تفاعلية طولية Digital Signage & Displays

Size: 75 - 65 - 55 - 43



Model 181
Size: 43", 49"
Color: black, white, customized





الطاولات التفاعلية Touch Screen Table

- عدة قياسات للطاولات
- طاولات لجلوس و طاولات للوقوف
- تعمل باللمس
- نظام ويندوز أو أندرويد
- مناسبة للإجتماعات
- المدارس
- المطاعم
- غرف الإنتظار

Size: 43" 55"
Color: white, customized



Size: 32" 43"
Color: gray silver, customized



Size: 43" 55" 65"
Color: gray silver, customized




Size: 32"
Color: gray silver, customized





شاشات الإجتماع والمؤتمرات Smart Interactive Whiteboard



-  All-new Samsung/ LG panel
-  Android/Windows OS optional
-  Rich interfaces optional
-  Various touch technology optional
-  Video conference
-  Writing synchronization
-  Wireless input to screen
-  Various support rack available



السبورة الذكية Smart Whiteboard Display

Size: 86 - 75 - 65 - 55

- إمكانية الكتابة على الشاشة أو بالقلم مع إمكانية تحيل الكتابة
- كاميرات تتبع المتحدث
- مايكات موجهة لتتبع المتحدث
- عزل الصور الخارجة
- انظمة ويندوز واندرويد
- اتصال بالأجهزة مباشرة بكل سهولة



Multi Function تخصيص متعدد الوظائف Customization

إمكانية اضافة:



شاشات الخدمة الذاتية Self-Service Terminal




شاشات الخدمة الذاتية المتميزة بأشكالها وقياساتها المختلفة

• إمكانية اضافة إكسسوارات مخصصة للأجهزة





شاشات خارجية بديلة للبانر Outdoor Digital Totem



HD
21" new Samsung/
LG panel


Android/Windows OS
optional


E-c - 00c
working condition


Various touch technology
optional

OEM/ODM
OEM/ODM welcome


IP00/IP10
waterproof grade


Flexible modules optional


Single/Double side
optional



- اشكال مميزة
- نظامي ويندوز أو أندرويد
- لمس أو بدون لمس
- مقاومة للعوامل الجوية
- برنامج التحكم بالشاشات عن بعد



شاشات خارجية بأشكال مخصصة للعميل لتناسب مع جميع متطلبات العملاء للأماكن المفتوحة

OUTDOOR DIGITAL TOTEM Size: 18.5" - 98"



OEM/ODM
OEM/ODM welcome

IP65/IP70
waterproof grade

HD
1st new Samsung/
LG panel

Android/Windows OS
optional

Flexible modules optional

Single/Double side
optional

E-c - 00c
working condition

Various touch technology
optional

Outdoor digital totem frame options



- 1, Appearance, structure and border color can be customized.
- 2, Multiple sizes can be chosen.(18.5",21.5",32",43",49",55",65",70",75",82",85",98")
- 3, More Brightness and modules optional, wheels optional , OEM/ODM welcome.
- 4, Andriod OS support Google store, HDMI input.
- 5, Windows: 3 15 17 various generations available.



شاشات متخصصة لستاند العرض والأقسام بنظام التحكم عن بعد



شرائح الشاشات الممتدة والتفاعلية **Stretched Bar LCD Features**

Windows - Android - Touch - WiFi

1 Sleek Design for Space

Ultra-Stretch Signage delivers seamless content as an in-store signboard, digital banner and more, thanks to its generous aspect ratio. Installed on a wall, on a pillar or perhaps over the entrance, it adds premium style while uniquely engaging with all who behold its striking form factor.



2 PBP with Four Divisions in Landscape or Portrait

The Picture-by-Picture (PBP) feature allows you to divide a screen into up to four parts, in landscape or portrait installations. It is a very effective and convenient way to deliver several advertisements or pieces of information at the same time.

3 Multimedia Content Creation

Combine video with up to 20 still photos in a single piece of content for an engaging new multimedia presentation.



4 Lateral Tiling with Daisy Chain

This product supports side-by-side tiling for 1x4 or 4x1 installations (landscape or portrait orientation) and up to a 4x4 installation with a daisy chain configuration.

5 LAN Daisy Chain

Control and monitor devices, distribute content and even update firmware over the LAN daisy chain.





24 slots power bank station with 24" screen-Free Standing style
Model: XY-CD62424
Power: 200W
Chip: Android mainboard, 2GB RAM, 8GB ROM
Size: 1650*600*245mm
Network: 4G,WIFI



48 slots power bank station with 43" screen-Free Standing style
Model: XY-CDB4348
Power: 300W
Chip: Android mainboard, 2GB RAM, 8GB ROM
Size: 1895*600*545mm
Network: 4G,WIFI





شاشات LED العملاقة

Giant LED Signage's



شاشات الـ LED الخارجية



Highly competent for demanding environments

Meeting IP65 front and rear standards the S3 LED display series is resistant to dust, water and fully weatherproof.



- شاشات LED خارجية وداخلية متناسبة مع احوال الطقس
- في المملكة العربية السعودية بتقنيات عالية
- مقاومة للغبار و الماء
- قطع عالية الجودة
- دقات مختلفة للشاشات P1 - P2 - P3 - P4 - P6 - P8 - P10
- ورش متخصصة للتركيب
- مكاتب هندسية لدراسة التربة والمتطلبات الخاصة للتركيب



شاشات الليد الخارجية



• سطوع عالي في الشاشات المواجهة للشمس
• مباشرة سطوع يصل حتى 10000
• شاشات لا تحتاج إلى تكييف
• التحكم عن بعد بالشاشات دو الحاجة للتوصيلات
• جودة عالية بتصنيع الهيكل المعدني



شاشات الـ LED الخارجية

Outdoor LED Display Banner - P2, P3, P4, P5



Feature

Outdoor Advertising Player

AP1 series are our outdoor advertising LED display products. They are also called totem LED displays, which are usually used in shopping plaza, train station, airport, etc.

Light Weight and Thin

The screen only weighs 85kg and the thickness is only about 200mm.

Stable and Perfect Performance

Superior brand power supply is adopted. Meanwhile, high quality LED materials and excellent PCB design ensure the performance of the products.

High Brightness

The brightness of the screen can be up to 6,000nits, so the screen has very good clarity in direct sunlight.

Easy Operation

The screen can support Wi-Fi, CAT5, and even remote control via internet. It can run videos, images, texts, etc. without computers after the display content is uploaded.

Application Fields

Mall Advertisement;
Outdoor Advertising;
Digital Out Of Home(DOOH).

- سطوع عالٍ للشاشات الخارجية أشكال متخصصة
- شاشات متخصصة لا تحتاج إلى تكييف
- إمكانية التحكم عن بعد
- قطع ذات جودة عالية



Light Weight



Thin Screen



Various Designs



Stable Performance



High Brightness



Easy Operation



شاشات الـ LED الشفافة

LED Curtain Display - P10.4, P12.5, P15.6, P25, P31.2



Feature

Easy Maintenance

It is very efficient to maintain the cabinet from the front or the back.

Light Weight

This LED display is frameless and slim, so it is much lighter than other LED screens.

Waterproof & Dustproof

The protective grade can reach IP65.

Excellent Heat Dissipation:

The LED casting strip uses aluminum material and the cabinet adopts wind-pass design.

High Brightness

The brightness can reach more than 7,000nits.

Ultimate Refresh Rate

The refresh rate of the LED display can reach 3,840Hz.

Best Gray Scale


The gray scale can reach 24bits.

Application Fields

This product is usually used in: billboards, chain stores and central business districts.

مناسبة للأبنية الزجاجية
لا تحجب الرؤية
عالية الجودة ومقاومة للعوامل الجوية

-
-
-



Excellent Heat Dissipation



60% Transparency



13bits-24bits



IP65



Fast and Easy Maintenance



6,000nits-10,000nits



1,920Hz-3,840Hz



Light Weight



شاشات الـ LED الداخلية

- دقة عالية للشاشات الداخلية
- شاشات متخصصة لا تحتاج لتكييف
- خفيفة الوزن
- قطع ذات جودة عالية





Spherical LED Screen for Indoor and Outdoor Advertising



Feature

Seamless Connections

We applied the latest trapezoidal circuit design that can realize seamless splicing.

Innovative Design

It is worth pointing out that what makes it special is its wide viewing angle of 360°.

Better Heat Dissipation

Thanks to the great design of PCB board, its heat dissipation will be better than that of other products.

Great Gray Scale

High gray scale 13bits-24bits.

Easy Maintenance

The display supports different kinds of installation with fully front access maintenance.

Application Fields

Planetarium, exhibition, shopping mall, etc.

شاشات الـ LED الداخلية



اشكال متخصصة للأماكن الداخلية متميزة
تنفيذ عالي الجودة
دقات مختلفة

-
-
-



Seamless Connection



Better Heat
Dissipation



Easy Maintenance



Refresh Rate



Great Gray Scale



Innovative Design



Energy Saving



Flexible Control



خدمات التأجير للمؤتمرات والمعارض

Rental Services



تأجير شاشات بديلة بنر وشاشات الخدمة الذكية

- تجهيز المعارض والفعاليات بشبكة شاشات
- البنر الرقمي
- شاشات اللمس
- شاشات العرض الداخلية
- أجهزة تسجيل الزوار
- الشاشات التفاعلية
- شاشات الخرائط





شاشات الـليد الداخلية والخارجية

- تأجير شاشات ليد داخلية وخارجية للفاعلية
- تركيب فني ساعات قليلة
- دقات مختلفة وعالية الجودة
- أجهزة تحكم بالشاشات وإدارة المحتوى





تصميم أفلام انفوغرافيك

- قسم متخصص لإنشاء أفلام الانفوغرافيك
- استوديو لتسجيل الصوت المناسب
- قسم متخصص في كتابة السيناريو
- قسم متخصص للإنتاج





البرامج والحلول

Apps & Solutions



أنظمة تسجيل الزوار



- أجهزة متخصصة لتسجيل الزوار في المعارض
- نظام تسجيل الزوار وطباعة بطاقات الزوار
- تسجيل بيانات الزوار
- التسجيل عن بعد
- ارسال الرسائل للزوار الذين قاموا بالتسجيل
- ارسال دعوات للزوار المسجلين
- والعديد من المميزات الأخرى



برنامج ادارة المحتوى للشاشات



- إمكانية التحكم بعدد كبير من الشاشات الاعلانية من مركز واحد
- إمكانية تقسيم الشاشات الى مجموعات
- إمكانية التحكم بكل مجموعة على حدا
- إمكانية استعراض ماذا تعرض الشاشة
- في الوقت الحالي
- إمكانية تقسيم الشاشة الى عدة اقسام





برنامج الخرائط ثلاثية الأبعاد

3D Map Tool 3D-Engine

- Without CAD drawing!
- Without 3D MAX program!
- Easily converting the floor plan to 3D image!



• 3D Wayfinder software

- 1) Open 2D floor plan & route
- 2) Draw the line on 2D floor plan using the objects
- 3) Transform the object into 3D image
- 4) Transform 2D route into 3D
- 5) Register the shop information
- 6) Register the floor plan & route
- 7) Operate the search engine
- 8) Check the finished result in player

برنامج الإستعلام عن الموقع من خلال الخرائط ثلاثية الأبعاد
أو ثنائية الأبعاد
مساعدة الزوار للوصول إلى وجهاتهم
عمليات البحث سهلة عن هدف الزائر
تسجيل بيانات الزوار
الطرق الأسرع للوصول

-
-
-
-
-



برنامج تقييم الخدمة والاستبيان



- عمل استبيان للعملاء والمراجعين
- إمكانية الاستبيان عن صورة
- إمكانية الاستبيان من خلال سؤال وخيارات للأجوبة
- إمكانية الاستبيان من خلال كتابة الجواب
- إمكانية الاستبيان عن مقطع فيديو
- تسجيل رضا العميل عن خدمة معينة



الحلول الذكية

Smart Solutions





عملائنا

Our Clients





البنك الأول
Alawal bank

غرفة الرياض
Riyadh Chamber



موارد
Mawared



جامعة نايف العربية للعلوم الأمنية
Naif Arab University for Security Sciences



AEC
شركة الإلكترونيات المتقدمة
Advanced Electronics Company



ALNaierh
النيرة

شركة النيرة المحدودة
ALNaierh Company Limited

تواصل معنا



alnaierh



alnaierh-sa



alnaierh_ksa



+966 50 021 2554



alnaierh-ksa



+966 56 782 9212



info@alnaierh.com



www.alnaierh.com



123 King Faysal st, Riyadh
Saudi Arabia